

BettaHaul Pty Ltd – Freight Safety Equipment

Company Information

BettaHaul Pty Ltd
ABN: 72 603 669 610
AUS PAT Registered

Freight Safety Equipment – 2025/2026

Reducing Risks and Enhancing Restraint Efficiency


BettaHaul offers a range of innovative solutions to improve safety and efficiency in freight transport. Our **BettaHaul™** Rubber Bearer systems and accessories engineered to minimise risks, while our **HaulSafe™** audits and risk assessments help ensure ongoing compliance to optimise safety performance.

BettaHaul™ Rubber Bearer Systems

Designed and manufactured by BettaHaul Pty Ltd, offer advanced safety features for transporting goods. These systems are available in two heights: 93mm and 123mm. Each rubber bearer is manufactured using our proprietary **dual zone rubber technology**, providing outstanding anti-slip properties with a coefficient of friction (COF) evaluated at 0.8μ. Our Rubber Load Bearers interconnected, to neatly fit onto haulage trailers.

The BettaHaul™ Load Bearers are suitable for most trailers and trays, customise with securing attachments. Accessories and attachments are fitted now or later to further enhance safety performance and customise haulage requirements.

The high COF reduces the need for additional load restraints, supporting compliance with NTC restraint guidelines and significantly minimising load shift due to centrifugal forces.



HAULSAFE™

93mm High x 135mm wide Trapezoid design

Fits 2400w (50mm Coaming) or 2380w (60mm Coaming)

Anti Slip Rubber Bearer system

Code Product Description	RRP Excluding GST	Bearers supplied are two parts spanning standard trailer widths.
HS93FC (comes with accessory Fitted) 93mm high x 135 wide Rubber Load Bearer joined to fit standard truck trailer trays. Load evaluated and COF tested. Fitted with fixed clamps either side. Fixed clamps ensure the bearer is fastened securely in position. These bearers are engineered to provide a stable platform that improves friction and reduces product damage to sensitive materials. Common with Roof sheeting, plaster board, and painted goods.		
HS93QCT 93mm high x 135 wide Rubber Load Bearer joined to fit standard truck trailers. Spring loaded clamp and handle, enabling a quick and easy release system to reposition the bearer on truck trailer. These bearers are engineered to provide a stable platform that improves friction and reduces product damage to sensitive materials. Common with Roof sheeting, plaster board, and painted goods.		
HS93QCF 93mm high x 135 wide Rubber Load Bearer joined to fit standard truck trailer trays. Load assessed and COF evaluated. Spring loaded clamp and handle, enabling a quick release system to reposition the bearer on truck trailer. Less exposed to forklift damage. These bearers are engineered to provide a stable platform that improves friction and reduces product damage to sensitive materials. Common with Roof sheeting, plaster board, and painted goods.		

123mm High x 120mm Wide note Trapezoid design

Fits 2400w (50mm Coaming) or 2380w (60mm Coaming)

Anti Slip Rubber Bearer system Heavy Duty

Code Product Description	RRP Excluding GST	Bearers supplied are two parts spanning standard trailer widths.
HS123FC 123mm high x 120 wide Rubber Load Bearer joined to fit standard truck trailer trays. Load assessed and COF evaluated. Fitted with fixed clamps either side. Fixed clamps ensure the bearer is fastened securely in position. These bearers are engineered to provide a stable platform that improves friction and reduces product damage to sensitive materials.		
HS123QCT 123mm high x 120 wide Rubber Load Bearer joined to fit standard truck trailer trays. Load assessed and COF evaluated. Spring loaded clamp and handle, enabling a quick release system to reposition the bearer on truck trailer. These bearers are engineered to provide a solid load bearing platform that improves friction and reduces product damage.		
HS123QCF 123mm high x 120 wide Rubber Load Bearer joined to fit standard truck trailer trays. Load assessed and COF evaluated. Spring loaded clamp and handle, enabling a quick release system to reposition the bearer on truck trailer. These bearers are engineered to provide a solid load bearing platform that improves friction and reduces product damage.		

BETTAHAUL™		
Accessories and Spare Parts		
Code Product Description	RRP Excluding GST	
FC Easily replaced in Rubber Bearer. Just unscrew side fixing screws and fit inside the Bearer's core then resecure. Clamp assembly can easily be replaced.		
CHA ndlee Top Easily replaced in Rubber Bearer. Just unscrew side fixing screws and fit inside the Bearer's core then resecure. This Clamp fitting enables a quick securing system to ensure your bearer is positively secured to the trailer Coaming rail. Used to quickly reposition the bearer then resecure.		
QCF Handle underside Easily replaced in Rubber Bearer. Just unscrew side fixing screws and fit inside the Bearer's core then resecure. This Clamp fitting enables a quick securing system to ensure your bearer is positively secured to the trailer Coaming rail. Used to quickly reposition the bearer then resecure. Handle tucks under Coaming rail and less prone to Forklift damage.		
SMPC Side Mount Upright Holder with spring bolt, used on HS123 Bearer. Easily and quickly fits to the RH side of HS123 Bearers. Recommend used with HS123FC system, although risk assessments are advised if used with Quick clamp systems. Upright not included.		

CPC Centre Mount Upright Holder, used on HS123 Bearer. Secures directly on Centre delineation plate. Used as medium strength blocking in lateral direction only. Up-Right not included.		
UPRIGHT 40 x 40 x 4mmThk x 600mm Powder coated safety yellow. Capped at both ends with Flange stop,		

ANTI SLIP LOAD PADS / MATS

Tough and Durable a cost-effective solution.
Made from high tensile strength rubber 8MPa evaluated!
Secures to Timber Bearer, Steel or used alone.

Code Product Description	Each RRP Excluding GST	
HLP100B (20mm H) 1190mm long Black Load Pad Tough Moulded NR composite 100 wide X 1190mm long. Designed to secure directly onto wooden / Steel bearers or used loose under Pallets. TIMBER NOT INCLUDED	Fixing Kit Wood included	
HLP100Y (20mm H) 1190mm long Yellow Hi Vis Load Pad Tough durable NR composite 100 wide X 1190mm long. Designed to secure directly onto wooden / Steel bearers or used under Pallets. Great within enclosed trailers. TIMBER NOT INCLUDED	Each Fixing Kit Wood included	

DUNNAGE CLAMPS

SECURING CLAMPS FOR 100MM WIDE DUNNAGE

NO ROPE SYSTEM

The clamps are designed to offer a safer alternative for securing dunnage to trailer deck.

Code Product Description	RRP Excluding GST	
WC100FC Easily fitted to existing or new timber bearers. For 100m wide timbers This Clamp fitting enables a fixed securing system to ensure your wooden bearer is positively secured to the trailer Coaming rail.	Pad + Timber not included	
WC100QCT Handle Top For 100 wide timbers Easily fitted to existing or new timber bearers. This Clamp fitting enables a quick securing system to ensure your wooden bearer is positively secured to the trailer Coaming rail. Used to quickly reposition the timber bearer then resecure.	Fixing Kit Wood included	
WC100QCF Handle underneath. For 100 wide timbers Easily fitted to existing or new timber bearers. This Clamp fitting enables a quick securing system to ensure your wooden bearer is positively secured to the trailer Coaming rail. Used to quickly reposition the timber bearer then resecure.	Fixing Kit Wood included	
WC125QCF Handle underneath. For 125 wide timbers Easily fitted to existing or new timber bearers. This Clamp fitting enables a quick securing system to ensure your wooden bearer is positively secured to the trailer Coaming rail. Used to quickly reposition the timber bearer then resecure.		
WC125FC		COMING
WC125QCT		COMING
HS100		COMING BEARER DESIGNED FOR MEDIUM LOADS COST EFFECTIVE WITH HIGH PERCENTAGE RECLAIM RUBBER